


SAINT-GOBAIN PERFORMANCE CERAMICS & REFRACTORIES


ENERGY RECOVERY

EFFICIENT REFRACTORY
SOLUTIONS FOR THE
THERMAL TREATMENT
OF WASTE




SAINT-GOBAIN

APPLICATION & PRODUCTS



1 CHARGE ZONE
 Alumina brick / Refrax® PLUS brick

2 INLET ROOF
 Refrax® ProGun 80 / ProGun 70
 Refrax® ProPlast 80 / ProGun 70
 T-CLIP® PRO tile system

3 COMBUSTION AREA
 T-CLIP® PRO tile system in
 Refrax® PLUS or Refrax® TOP

4 GRATE LINING
 Special bricks in Refrax® PLUS or
 Refrax® TOP

5 BURNER OUTLET
 Alumina ramming - ALFRAX® AFR 700
 SiC ramming - Refrax® ProRam 80 /
 ProRam 70

6 1ST PASS
 T-CLIP® PRO tile system in
 Refrax® PLUS or Refrax® TOP


7 SUPERHEATER
 Special tubes shields in super Cast Refrax®
 and super Refrax® 20 using
 Carbofrax® 3445AT mortar

8 HEADER/COLLECTOR
 Refrax® ProGun 80 or
 Refrax® ProPlast 60 / ProPlast 70

9 ASH HOPPER
 ALFRAX® CK abrasion resistant trowel
 mix or Refrax® ProCast 70

CORROSION - OXIDATION OF MATERIALS

Test: ASTM C 683 - steam corrosion 1000°C for 500 h




The oxidation of the tiles leads to an expansion and weakening of the structures



Refrax® solutions have a low oxidation level to ensure their longevity

AN OPTIMIZED BACKFILLED
TILE DESIGN OFFERING
OPTIMUM PROTECTION



APPLICATION

Can be used in all installation systems, for vertical boiler tube walls, e.g. the side walls, back and front walls, as well as the slanted tube walls on the ceiling, like inlet ceiling, burn out and boiler ceilings.

SYSTEM FITTINGS

Anchorage to the tube wall: Threaded bolts with round washers made from heat-resistant steel.

Backfilling mix: Offers added protection against flue gases and reduces the anchor corrosion.

Refrax® PLUSflow with higher thermal conductivity. The self-flowing and selfcompacting SiC concrete is formulated to fill a defined gap between the tile and the tube wall.

This ensures optimal contact to the wall and offers added protection against flue gases.

Note: If the angle is smaller than 15°, the tiles have to be laid using SiC mortar, Refrax® PROMor.

Ceramic fibre mats or fibre paper to compensate for potential expansion.

BENEFITS



Quick and precisely defined installation



Reduced tension



Oxidation & corrosion & high mechanical load resistance




Best price-performance-ratio on the market



Available for all tube diameters and spacings



Excellent thermal conductivity due to SiC back casting (reducing the temperature of the hot face)



SHAPED PRODUCTS

MATERIAL	DESCRIPTION
Refrax® PRO	Tried and tested material with narrow tolerances. Application area: Standard product for the first pass and the combustion area.
Refrax® PLUS	Improved patented premium product for the toughest requirements. Application areas: For all areas - particularly suited for areas exposed to high wear, high stresses and for repairs.
Refrax® TOP	Doped patented, doubled fired material with glazed surface. Application area: For all areas - particularly suited for areas exposed to aggressive ash and slag.

CASTABLE / MORTAR

MATERIAL	DESCRIPTION
Refrax® PLUSflow	Backfilling mix with maximised thermal conductivity for T-CLIP® systems.
Refrax® PROmor	Mortar for 45°, CFB systems and belly bricks.



SAINT-GOBAIN PERFORMANCE CERAMICS & REFRACTORIES

FRANCE

Saint-Gobain SGR Provence (R&D)
550 Avenue Alphonse Jauffret BP 224
84306 Cavaillon
Cedex France

UNITED KINGDOM

Saint-Gobain Industrial Ceramics
Mill Lane, Rainford, St. Helens WA11 8LP
PHONE: +44 (0) 1744 88 2941
MOBILE: +44 (0) 7753 969493

GERMANY

Saint-Gobain IndustrieKeramik Rödental GmbH
Oeslauer Straße 35, 96472 Rödental
PHONE: +49 (0) 9563 724 201

For more information:
www.ceramicsrefractories.saint-gobain.com
ceramics.refractories@saint-gobain.com

Follow us on 



The information contained in this document is believed to be accurate and reliable but is provided without guarantee or warranty on the part of Saint-Gobain Performance Ceramics & Refractories. Process parameters and requirements can impact typical values and test methods. Further, nothing present herein should be interpreted as an authorization or inducement to practice any patented invention without an appropriate license. Saint-Gobain Performance Ceramics & Refractories Terms and Conditions apply to all purchases.

Copyright © 2024, Saint-Gobain Performance Ceramics & Refractories. All rights reserved.

