


Creep Response of Hexoloy® SA Silicon Carbide



Saint-Gobain Ceramics
Structural Ceramics




The creep rate of sintered α -SiC in flexure, tension, and compression by measurement.

Graph data courtesy of the Journal of Physical and Chemical Reference Data – 1997

Saint-Gobain Ceramics
Structural Ceramics
Hexoloy® Products
23 Acheson Drive
Niagara Falls, New York 14303
Telephone: 716-278-6233
Fax: 716-278-2373
E-mail: scd.sales@saint-gobain.com
www.hexoloy.com


©2003 Saint-Gobain Ceramics
All Rights Reserved
Form No. B-1004-7 10/03
Printed in USA





The creep rate of sintered α -SiC under compression by equation:

$$d\varepsilon/dt = A\sigma^n e^{-E_{\text{act}}/RT}$$



Saint-Gobain Ceramics
Structural Ceramics
Hexoloy® Products
23 Acheson Drive
Niagara Falls, New York 14303
Telephone: 716-278-6233
Fax: 716-278-2373
E-mail: scd.sales@saint-gobain.com
www.hexoloy.com

©2003 Saint-Gobain Ceramics
All Rights Reserved
Form No. B-1004-7 10/03
Printed in USA

The information recommendations, and opinions set forth herein are offered solely for your consideration, inquiry and verification and are not, in part or total, to be construed as constituting a warranty or representation for which we assume legal responsibility. Nothing contained herein is to be interpreted as authorization to practice a patented invention without a license.
Hexoloy® is a trademark of Saint-Gobain Ceramics.